REP AD-A281 376		Form Approved OMB No. 0704-0188

Public reporting burden for this gathering and maintaining the c collection of information, includ Davis Highway, Suite 1204, Arlin

cluding the time for reviewing instructions, searching existing data sources. Send comments regarding this burden estimate or any other aspect of this services. Directorate for Information Operations and Reports, 1215 Jefferson erwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY	2. REPORT DATE 04-29-94	3. REPORT TYPE AND DATES COVERED

4. TITLE AND SUBTITLE	5. FUNDING NUMBERS
Non-linear waves in gas dynamics and mechanics	DAAL03-91-G-0017

6. AUTHOR(S)

Tai-Ping Liu

DTIC
ELECTE
S JUL 12 1994 F
D

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Dept. of Mathematics
Stanford University
Stanford, CA 94305-2125

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709-2211

10. SPONSORING/MONITORING AGENCY REPORT NUMBER

ARO 28548.10-MA

11. SUPPLEMENTARY NOTES
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

12a. DISTRIBUTION/AVAILABILITY STATEMENT	12b. DISTRIBUTION CODE
Approved for public release; distribution unlimited.	

13. ABSTRACT (Maximum 200 words)

Nonlinear wave propagation in gas flows, MHD, combustions, elasticity, multiphase flows etc. is studied. Shock waves which are either more or less compressive than the classical gas shocks are shown to be nonlinearly stable, but in the sense distinct from each other. This resolves the long-standing paradox on their physical admissibility by pointing out the sensitive role of dissipations. The phenomenon of non-equilibrium is systematically studied. The problem of zero relaxation limit is resolved for models in mechanics and phase transition.

94-21108

DTIC QUALITY INSPECTED 1

14. SUBJECT TERMS			15. NUMBER OF PAGES
nonlinear wave propagation, mechanics, gas dynamics			3
			16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

NSN 7540-01-280-5500

94 7 11 031

Standard Form 298 (Rev 2-89)
Prescribed by ANSI Std Z39-18
298-102

NON-LINEAR WAVES
IN GAS DYNAMICS AND MECHANICS

FINAL REPORT

Tai-Ping Liu

April 29, 1994

U.S. ARMY RESEARCH OFFICE

DAAL03-91-G-0017

Stanford University

Accesion For	
NTIS CRA&I	☑
DTIC TAB	☐
Unannounced	☐
Justification	

By

Distribution /

Availability Codes	
Dist	Avail and / or Special
A-1	

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

Research Results.

During the past three years, under the partial support of Army Basic Research Grant DAAL-3-91-G-0017, the author has completed the following research on nonlinear wave propagation in gas dynamics and mechanics.

There are shocks in elasticity and magnetohydrodynamics, the intermediate shocks, which are more compressive than the gas shocks. The author has earlier shown that such a shock cannot be stable uniformly with respect to the strength of dissipations. In the following paper the nonlinear stability of intermediate shocks is shown for a rotational model derived from nonlinear elasticity and MHD.

1. (with H. Freistühler) "Nonlinear stability of overcompressive shock waves in a rotationally invariant system of viscous conservation laws, Comm. Math. Physics 153 (1993), 147-158.

This completely resolves the long-standing paradox of the admissibility of intermediate shocks.

Shocks occur in multiphase flow, on the other hand, are often less compressive than the gas shocks. These shocks are the saddle-saddle connections of the corresponding ODEs and their physical admissibility has also been in question. The following paper shows for the complex Burgers equation that such a shock is nonlinear stable

2. (with K. Zumbrun)"Nonlinear stability of an undercompressive shock for complex Burger's equation," Comm. Math. Physics (submitted).

The existence of undercompressive shocks depends sensitively on the relative strength of the dissipation parameters. We are currently studying more general physical models, including the weak detonations and deflagrations. The author's new approach of point-wise estimates allows for the studying of nonlinear coupling of wave interactions and is the main tool for these studies.

The important physical phenomenon of relaxation, non-equilibrium, memory and delay can be modeled by quasilinear hyperbolic PDE's. The author

has earlier proposed a simple model and studied the basic properties of stability, nonlinear waves and Chapman-Enskog-type expansion. Recently, the hard problem of zero relaxation limit is resolved in

3. (with G. Q. Chen) "Zero relaxation and dissipation limits for hyperbolic conservation laws," Comm. Pure Appl. Math. 46 (1993), 755-781.

Earlier results in this direction do not consider solutions with shocks. The weakly nonlinear limits and the stability criterion for more general systems are resolved in

4. (with G. Q. Chen and D. Levermore) "Hyperbolic conversation laws with stiff relaxation terms and entropy," Comm. Pure Applied Math. (accepted).

In these two papers we study the analogues of the compressible and incompressible Navier-Stokes and Euler equations as the limits of the simple model as the relaxation time, or the mean free path, tends to zero. Phenomenon of initial and shock layers is included in our study.

In the following paper, a preliminary draft, we study the slowing propagation of stationary shock under the effect of dissipation and boundary.

5. (with S. H. Yu) "Propagation of stationary viscous shocks under the boundary effects." (preprint)

This phenomenon is also observed in the numerical calculation of inviscid shocks with the presence of boundary.

Another critical phenomenon is found for the compressible Euler equations under the external damping due to porous media. The following two papers show that the hyperbolic PDE's are time-asymptotically equivalent to the nonlinear diffusion equations as the momentum equations are simplified to the Darcy's law.

6. (with L. Hsiao) "Convergence to nonlinear diffusion waves for solutions of a system of hyperbolic conservation laws with damping," Comm, Math. Phys. 143 (1992) 599-605.

7. Compressible flow with damping and vacuum, Japan J. Indus. Appl. Math. (accepted).

Our results justified the Darcy's law for compressible flow.